

Multi-satellite SLR solutions including LARES/LARES-2 SLR data

Linda Geisser, Ulrich Meyer, Daniel Arnold, Adrian Jäggi

Astronomical Institute, University of Bern, Switzerland

22nd INTERNATIONAL WORKSHOP ON LASER RANGING, 7 November 2022

Outline

- Properties of the satellites and the used data set
- SLR solutions based on LAGEOS-1/2 and LARES with estimating Earth's gravity field coefficients
- Inclusion of LARES-2
- Summary & Outlook

SATELLITE ORBITS AND PROPERTIES

Outline:

- Properties

- Satellite orbits and properties

- Data set

- LAGEOS+LARES


- Inclusion of LARES-2

- Summary & Outlook

Sources:

[1] <https://ilrs.gsfc.nasa.gov>

- Orbital planes



- Facts

	LAGEOS-1	LAGEOS-2	LARES	LARES-2
Diameter [m]	0.60	0.60	0.36	0.42
Weight [kg]	407.0	405.4	386.6	297.5
Altitude [km]	5860	5620	1450	5899
Inclination [°]	109.8	52.6	69.5	70.2

[1]

- Launch date:

- LAGEOS-1: May 4, 1976

- LAGEOS-2: October 22, 1992

- LARES: February 13, 2012

- LARES-2: July 13, 2022

DATA SET

Outline:

- Properties

- Satellite properties


- Data set

- LAGEOS+LARES


- Inclusion of LARES-2

- Summary & Outlook


- LAGEOS + LARES: 2015-2020




- SLR data per station: 2015-2020



- Inclusion of LARES-2: Jul-Sep 2022



- SLR data for LARES-2 per station



LAGEOS + LARES: PARAMETRIZATION


Outline:

- Properties
- **LAGEOS+LARES**
 - **Parametrization**
 - Correlations
 - Results
- Inclusion of LARES-2
- Summary & Outlook


Glossary:

- S: along-track
- W: cross-track

Satellites



NP data per satellite



Parametrization

	VCE	
	?	?
Satellites	LAGEOS-1/2	LARES
Parametrization		
Osculating elements	$a, e, i, \Omega, \omega, u_0$	
	1 set per 7 days	1 set per 7 days
Constant and once-per-revolution accelerations	S_0, S_S, S_C, W_S, W_C	
	1 set per 7 days	1 set per 7 days
Pseudo-stochastic pulses	no pulses	in along-track (twice per day)
Earth Rotation Parameters	$X_P, Y_P, UT1 - UTC$	
Geocenter coordinates	piece-wise-linear	
	per 7 days	
Station coordinates	free geocenter	
	1 set per 7 days	
	NNR and NNT	
Range biases	1 set per 7 days for	
	selected stations	all stations
Gravity field coefficients	1 set per 7 days	
	up to d/o 4	

Correlations



LAGEOS + LARES: PARAMETER CORRELATIONS

Outline:

- Properties
- LAGEOS+LARES
 - Parametrization
 - Correlations
 - Results
- Inclusion of LARES-2
- Summary & Outlook

Glossary:

- S: along-track
- W: cross-track



LAGEOS + LARES: RESULTS

Outline:

- Properties
- **LAGEOS+LARES**
 - Parametrization
 - Correlations
 - **Results**
- Inclusion of LARES-2
- Summary & Outlook

Glossary:


- S: along-track
- W: cross-track

• New parametrization

Satellites	LAGEOS-1/2	LARES
Parametrization		
Osculating elements	$a, e, i, \Omega, \omega, u_0$	
	1 set per 7 days	1 set per 7 days
Constant and once-per-revolution accelerations	S_0, S_S, S_C	S_0
	1 set per 7 days	1 set per 7 days
Pseudo-stochastic pulses	no pulses	in along-track (twice per day)
Earth Rotation Parameters	$X_P, Y_P, UT1 - UTC$	
	piecewise-linear	
Geocenter coordinates	1 set per 7 days	
	free geocenter	
Station coordinates	1 set per 7 days	
	NNR and NNT	
Range biases	1 set per 7 days for	
	selected stations	all stations
Gravity field coefficients	1 set per 7 days	
	up to d/o 4	

[Geisser et al., 2022]

• Weighting of the satellite groups using VCE (LARES vs. LAGEOS)



• Compare

- Earth Rotation Parameters
- Station coordinates
- Earth's gravity field coefficients


LAGEOS + LARES: RESULTS

Outline:

- Properties
- **LAGEOS+LARES**
 - Parametrization
 - Correlations
 - **Results**
- Inclusion of LARES-2
- Summary & Outlook


• Earth Rotation Parameters

	Grav. field	X pole [μas]		Y pole [μas]		UT1-UTC [μs]	
		Bias	WRMS	Bias	WRMS	Bias	WRMS
LAGEOS-only	-	85.6	142.1	31.9	118.1	-1.7	64.3
LAGEOS + LARES	-	-12.2	125.0	33.6	122.2	-9.2	76.1
LAGEOS + LARES	d/o 4	63.1	151.3	22.1	140.4	0.9	22.5



→ The main errors in ΔLoD , resp. in UT1-UTC, are caused by the nodal precession due to an offset in C_{20} . [Blossfeld et al., 2014]

• Station coordinates



LAGEOS + LARES: RESULTS


Outline:

- Properties
- **LAGEOS+LARES**
 - Parametrization
 - Correlations
 - **Results**
- Inclusion of LARES-2
- Summary & Outlook

Glossary:

- S: along-track
- W: cross-track


- Earth's gravity field coefficient: C_{20}



- The estimated C_{20} time series has an offset compared to the CSR reference series.

The offset in C_{20} and the strong annual signal in C_{30} can be reduced, if Stella and Starlette are included!

- Earth's gravity field coefficient: C_{30}



- The estimated C_{30} time series has a strong annual signal.

INCLUSION OF LARES-2: PARAMETRIZATION


Outline:

- Properties
- LAGEOS+LARES
- Inclusion of LARES-2
 - Parametrization
 - First results
- Summary & Outlook


Glossary:

- S: along-track
- W: cross-track


Satellites



NP data per satellite in 2022



Parametrization




Satellites	LAGEOS-1/2	LARES	LARES-2
Parametrization			
Osculating elements	$a, e, i, \Omega, \omega, u_0$ 1 set per 7 days		
Constant and once-per-revolution accelerations	S_0, S_S, S_C, W_S, W_C 1 set per 7 days		
Pseudo-stochastic pulses	no pulses	in along-track (twice per day)	no pulses
Earth Rotation Parameters	$X_p, Y_p, UT1 - UTC$ piecewise-linear		
Geocenter coordinates	1 set per 7 days free geocenter		
Station coordinates	1 set per 7 days NNR and NNT		
Range biases	1 set per 7 days for		
	selected stations	all stations	all stations

INCLUSION OF LARES-2: FIRST RESULTS

Outline:

- Properties
- LAGEOS+LARES
- **Inclusion of LARES-2**
 - Parametrization
 - **First results**
- Summary & Outlook

- Weighting of the satellite groups using VCE



- Compare
 - Earth Rotation Parameters
 - Station coordinates

- Earth Rotation Parameters

	X pole [μ s]		Y pole [μ s]		UT1-UTC [μ s]	
	Bias	WRMS	Bias	WRMS	Bias	WRMS
LAGEOS+LARES	23.6	108.1	165.0	195.8	-12.2	42.1
LAGEOS+LARES+LARES-2	-19.5	82.7	137.6	178.2	-19.6	81.3




INCLUSION OF LARES-2: FIRST RESULTS


Outline:

- Properties
- LAGEOS+LARES
- **Inclusion of LARES-2**
 - Parametrization
 - **First results**
- Summary & Outlook

• Station coordinates



• Contribution analysis




INCLUSION OF LARES-2: FIRST RESULTS

Outline:

- Properties
- LAGEOS+LARES
- Inclusion of LARES-2
 - Parametrization
 - First results
- Summary & Outlook

• Observation residuals



→ LARES-2 observation residuals are 40% smaller than for LAGEOS satellites.

SUMMARY & OUTLOOK

Outline:

- Properties
- LAGEOS+LARES
- Inclusion of LARES-2
- **Summary & Outlook**

- **Summary:**
 - Dynamical orbit parameters are correlated with gravity field coefficients. Therefore, the orbit parametrization has to be adapted for a LAGEOS and LARES combination.
 - We successfully included LARES-2 and can confirm the high quality of the observations.
- **Outlook:**
 - Optimize the orbit parametrization for the low Earth orbiting satellites.
 - Extend the multi-satellite solution with other satellites, e.g., Stella, Starlette or Ajisai.

SUMMARY & OUTLOOK

Outline:

- Initial conditions
- LAGEOS+LARES
- Inclusion of LARES-2
- **Summary & Outlook**

Thank you for your attention!

REFERENCES

1. <https://ilrs.gsfc.nasa.gov>
2. M. Bloßfeld, M. Gerstl, U. Hugentobler, D. Angermann, and H. Müller. Systematic effects in LOD from SLR observations (2014). 54(6):1049–1063, a. ISSN 02731177. doi: 10.1016/j.asr.2014.06.009. URL <https://linkinghub.elsevier.com/retrieve/pii/S0273117714003512>
3. L. Geisser, U. Meyer, D. Arnold, and A. Jäggi (2022). Contribution of LARES SLR data to co-estimated Earth geopotential coefficients. International Association of Geodesy Symposia. (*Accepted*)